

Publications

1. Argento CJ, Lopez Mato OR, Martinez-Cartier MD: Oral fluorescein angiography with scanning laser ophthalmoscope. *Int Ophthalmol* 2001;23:395-398.
2. Argento C, Lopez Lopez O, Martinez Cartier M: Occult CNV imaging with scanning laser ophthalmoscope. *Int Ophthalmol* 2001;23:409-412.
3. Arnold JJ, Quaranta M, Soubrane G, Sarks SH, Coscas G: Indocyanine green angiography of drusen. *Am J Ophthalmol* 1997;124:344-356.
4. Axer-Siegel R, Lichter H, Rosenblatt I, Priel E, Yassur Y, Weinberger D: Simultaneous indocyanine green and fluorescein angiography in retinal pigment epithelium tear using the confocal scanning laser ophthalmoscope. *Am J Ophthalmol* 1999;128:331-339.
5. Axer-Siegel R, Bourla D, Priel E, Yassur Y, Weinberger D: Angiographic and flow patterns of retinal choroidal anastomoses in age-related macular degeneration with occult choroidal neovascularization. *Ophthalmology* 2002;109:1726-1736.
6. Axer-Siegel R, Ehrlich R, Yassur Y, Rosenblatt I, Kramer M, Priel E, Benjamini Y, Weinberger D: Photodynamic therapy for age-related macular degeneration in a clinical setting: visual results and angiographic patterns. *Am J Ophthalmol* 2004;137:258-264.
7. Bartsch DU, Weinreb RN, Zinser G, Freeman WR: Confocal scanning infrared laser ophthalmoscopy for indocyanine green angiography: Preliminary results. *Am J Ophthalmol* 1995;120:642-651.
8. Bartsch DU, Elmusharaf A, El-Bradey M, Freeman WR: Oral fluorescein angiography in patients with choroidal neovascularization and macular degeneration. *Ophthalmic Surg Lasers Imaging* 2003;34:17-24.
9. Bartz-Schmidt KU, Walter P, Krott R, Brunner R, Esser P, Heimann K: [Effects of fluorescein and indocyanine green angiography on subsequent dark adaptation and the electroretinogram.] *Klin Monatsbl Augenheilkd* 1996;208:224-228.
10. Bellmann C, Holz FG, Schapp O, Völcker HE, Otto TP: [Topography of fundus autofluorescence with a new confocal scanning laser ophthalmoscope.] *Topographie der Fundusautofluoreszenz mit einem neuen konfokalen Scanning-Laser-Ophthalmoskop.* *Ophthalmologie* 1997;94:385-391.
11. Bellmann C, Jorzik J, Spital G, Unnebrink K, Pauleikhoff D, Holz FG: Symmetry of bilateral lesions in geographic atrophy in patients with age-related macular degeneration. *Arch Ophthalmol* 2002;120:579-584.
12. Bellmann C, Rubin GS, Kabanarou SA, Bird AC, Fitzke FW: Fundus autofluorescence imaging compared with different confocal scanning laser ophthalmoscopes. *Br J Ophthalmol* 2003;87:1381-1386.
13. Coscas F, Stanescu D, Coscas G, Soubrane G: [Feeder vessel treatment of choroidal neovascularization in age-related macular degeneration.] *J Fr Ophtalmol* 2003;26:602-608.
14. Dithmar S, Holz FG, Burk ROW Rohrschneider K, Völcker HE: [Confocal scanning laser indocyanine green angiography with the Heidelberg retinal angiograph.] *Konfokale Scanning-Laser-Indocyanin-grün-Angiographie mit dem Heidelberg Retina Angiograph.* *Klin Monatsbl Augenheilkd* 1995;207:11-16.
15. Dithmar S, Bellmann C, Holz FG, Völcker HE: [Confocal scanning laser indocyanine green angiography of classical choroid neovascularization.] *Konfokale Scanning-Laser-Indozyanin-grünangiographie klassischer choroidaler Neovaskularisationen.* *Ophthalmologie* 1997;94:343-347.
16. Flower RW, Csaky KG, Murphy RP: Disparity between fundus camera and scanning laser ophthalmoscope indocyanine green imaging of retinal pigment epithelium detachments. *Retina* 1998;18:260-268.
17. Framme C, Roider J: Fundus autofluorescence in macular hole surgery. *Ophthalmic Surg Lasers* 2001;32:383-390.
18. Framme C, Brinkmann R, Birngruber R, Roider J: Autofluorescence imaging after selective RPE laser treatment in macular diseases and clinical outcome: a pilot study. *Br J Ophthalmol* 2002;86:1099-1106.
19. Framme C, Schule G, Brinkmann R, Birngruber R, Roider J: [Fundus autofluorescence after selective RPE laser treatment.] *Ophthalmologie* 2002;99:854-860.
20. Freeman WR, Bartsch DU, Mueller AJ, Banker AS, Weinreb RN: Simultaneous indocyanine green and fluorescein angiography using a confocal scanning laser ophthalmoscope. *Arch Ophthalmol* 1998;116:455-463.
21. Frisch IB, Haag P, Steffen H, Weber BH, Holz FG: Kjellin's syndrome: Fundus autofluorescence, angiographic, and electrophysiologic findings. *Ophthalmology* 2002;109:1484-1491.

22. Garcia CR, Rivero ME, Bartsch DU, Ishiko S, Takamiya A, Fukui K, Hirokawa H, Clark T, Yoshida A, Freeman WR: Oral fluorescein angiography with the confocal scanning laser ophthalmoscope. *Ophthalmology* 1999;106:1114-1118.
23. Genevois O, Paques M, Simonutti M, Sercombe R, Seylaz J, Gaudric A, Brouland JP, José Sahel J, Vicaut E: Microvascular remodeling after occlusion-recanalization of a branch retinal vein in rats. *Invest Ophthalmol Vis Sci* 2004;45:594-600.
24. Giusti C, Forte R, Vingolo EM, Gargiulo P: Is acetazolamide effective in the treatment of diabetic macular edema? A pilot study. *Int Ophthalmol* 2001;24:79-88.
25. Giusti C, Forte R, Vingolo EM: Deflazacort treatment of cystoid macular edema in patients affected by Retinitis Pigmentosa: a pilot study. *Eur Rev Med Pharmacol Sci* 2002;6:1-8.
26. Haddad WM, Coscas G, Soubrane G: Eligibility for treatment and angiographic features at the early stage of exudative age related macular degeneration. *Br J Ophthalmology* 2002;86:663-669.
27. Hager A, Schmidt-Erfurth U, Barbazetto I, Michels S, Laqua H: [Photodynamic therapy: ICG angiography findings.] *Ophthalmologie* 1999;96:291-299.
28. Hendrickson P, DeMel T, Peterson JC: [Mechanical fundus perfusion model: blood-flow velocity determined with Heidelberg Retina Flowmetry (HRF) and digital ICG-angiography (HRA).] *Mechanisches Fundusperforations-Modell: Blutflußgeschwindigkeiten ermittelt durch ICG-Angiographie und Heidelberg Retina Flowmetry.* *Klin Monatsbl Augenheilkd* 1999;214:275-276.
29. Hermans P, Lommatzsch A, Bomfeld N, Pauleikhoff D: [Angiographic-histological correlation of late exudative age-related macular degeneration.] *Angiographisch-histologische Korrelation der späten exsudativen altersabhängigen Makuladegeneration.* *Ophthalmologie* 2003;100:378-383.
30. Holz FG, Bellmann C, Dithmar S, Rohrschneider K, Burk ROW, Völcker HE: [Simultaneous fluorescein and indocyanine green angiography with a confocal laser ophthalmoscope.] *Simultane Fluorescein- und Indozyaninrangiographie mit einem konfokalen Scanning-Laser-Ophthalmoskop.* *Ophthalmologie* 1997;94:348-353.
31. Holz FG, Bellmann C, Rohrschneider K, Burk ROW, Völcker HE: Simultaneous confocal scanning laser fluorescein and indocyanine green angiography. *Am J Ophthalmol* 1998;125:227-236.
32. Holz FG, Bellmann C, Margaritidis M, Schütt F, Otto TP, Völcker HE: Patterns of increased in vivo fundus autofluorescence in the junctional zone of geographic atrophy of the retinal pigment epithelium associated with age-related macular degeneration. *Graefes Arch Clin Exp Ophthalmol* 1999;237:145-152.
33. Holz FG: Neue diagnostische Möglichkeiten bei Makulaerkrankungen. *Ophthalmologie* 2001;98:1-2.
34. Holz FG: Autofluorescence imaging of the macula using confocal scanning laser ophthalmoscopy. *Ophthalmologie* 2001;98:10-18.
35. Holz FG, Bellman C, Staudt S, Schütt F, Völcker, HE: Fundus Autofluorescence and Development of Geographic Atrophy in Age-Related Macular Degeneration. *Invest Ophthalmol Vis Sci* 2001;42:1051-1056.
36. Holz FG, Jorzik J, Schutt F, Flach U, Unnebrink K: Agreement among ophthalmologists in evaluating fluorescein angiograms in patients with neovascular age-related macular degeneration for photodynamic therapy eligibility (FLAP-study). *Ophthalmology* 2003;110:400-405.
37. Jarc-Vidmar M, Kraut A, Hawlina M: [Fundus autofluorescence imaging in Best's vitelliform dystrophy.] *Fundusautofluoreszenzdarstellung bei Bestscher vitelliformer Dystrophie.* *Klin Monatsbl Augenheilkd* 2003;220:861-867.
38. Karacorlu M, Karacorlu S, Ozdemir H, Mat C: Photodynamic therapy with Verteporfin for choroidal neovascularization in patients with angioid streaks. *Am J Ophthalmol* 2002;134:360-366.
39. Kitaya N, Nagaoka T, Hikichi T, Sugawara R, Fukui K, Ishiko S, Yoshida A: Features of abnormal choroidal circulation in central serous chorioretinopathy. *Br J Ophthalmol* 2003;87:709-712.
40. Kramer M, Mimouni K, Priel E, Yassur Y, Weinberger D: Comparison of fluorescein angiography and indocyanine green angiography for imaging of choroidal neovascularization in hemorrhagic age-related macular degeneration. *Am J Ophthalmol* 2000;129:495-500.
41. Koh HJ, Bessho K, Cheng L, Bartsch DU, Jones TR, Bergeron-Lynn G, Freeman WR: Inhibition of choroidal neovascularization in rats by the urokinase-derived peptide Å6. *Invest Ophthalmol Vis Sci* 2004;45:635-640.

42. Lambrou GN: Assessment of choroidal blood flow by image processing of fluorescein and indocyanine green angiograms. Pillunat LE, Harris A, Anderson DR, Greve EL (eds) Current concepts on ocular blood flow in glaucoma, pp 145-152, Kugler Publications, The Hague, 1999.
43. Marengo J, Ucha RA, Martinez-Cartier M, Sampaolesi JR: Glaucomatous optic nerve head changes with scanning laser ophthalmoscopy. *Int Ophthalmol* 2001;23:413-423.
44. Melamed S, Krupsky S, Treister G: Confocal tomographic angiography of the optic nerve head in glaucoma. Schumann JS (ed) *Imaging in glaucoma*, Slack, Thorofare NJ, pp 157-172, 1996.
45. Melamed S, Levkovitch-Verbin H, Krupsky S, Treister G: Confocal tomographic angiography of the optic nerve head in patients with glaucoma. *Am J Ophthalmol* 1998;125:447-456.
46. Michels S, Barbazetto I, Schmidt-Erfurth U: Aderhautveränderungen nach photodynamischer Therapie (PDT). *Klin Monatsbl Augenheilkd* 2000;217:94-99.
47. Mueller AJ, Bartsch DU, Folberg R, Mehaffey MG, Boldt HC, Meyer M, Gardner LM, Goldbaum MH, Pe'er J, Freeman WR: Imaging the microvasculature of choroidal melanomas with confocal indocyanine green scanning laser ophthalmoscopy. *Arch Ophthalmol* 1998;116:31-39.
48. Mueller AJ, Freeman WR, Folberg R, Bartsch DU, Scheider A, Schaller U, Kampik A: Evaluation of microvascularization pattern visibility in human choroidal melanomas: comparison of confocal fluorescein with indocyanine green angiography. *Graefes Arch Clin Exp Ophthalmol* 1999;237:448-456.
49. Mueller AJ, Folberg R, Freeman WR, Bartsch DU, Bergeron-lynn G, Mehaffey MG, Kan-mitchell J, Huang X, Jian G, Avila C, Taskintuna I, Cheng L, Wang J: Evaluation of the Human Choroidal Melanoma Rabbit Model for Studying Microcirculation Patterns with Confocal ICG and Histology. *Exp Eye Res* 1999;68:671-678.
50. Mueller AJ, Bartsch DU, Schaller U, Freeman WR, Kampik A: Imaging the microcirculation of untreated and treated human choroidal melanomas. *Int Ophthalmol* 2001;23:385-393.
51. Mueller AJ, Freeman WR, Schaller UC, Kampik A, Folberg R: Complex microcirculation patterns detected by confocal indocyanine green angiography predict time to growth of small choroidal melanocytic tumors. *MUSIC Report II. Ophthalmology* 2002;109:2207-2214.
52. O'Brart DPS, de Souza Lima M, Bartsch DU, Freeman W, Weinreb RN: Indocyanine green angiography of the peripapillary region in glaucomatous eyes by confocal scanning laser ophthalmoscopy. *Am J Ophthalmol* 1997;123:657-666.
53. O'Connor NJ, Bartsch DU, Freeman WJ, Mueller AJ, Holmes TJ: Fluorescent infrared scanning-laser ophthalmoscope for three-dimensional visualization: automatic random-eye-motion correction and deconvolution. *Applied Optics* 1998;37:2021-2033.
54. Orzalesi N: Laser photocoagulation of feeder vessels. Can it help against choroidal neovascularization? *Graefes Arch Clin Exp Ophthalmol* 2001;239:397-399.
55. Pauleikhoff D, Spital G, Radermacher M, Brumm GA, Lommatzsch A, Bird AC: A fluorescein and indocyanine green angiographic study of choriocapillaris in age-related macular disease. *Arch Ophthalmol* 1999;117:1353-1358.
56. Poloschek CM, Friede T, Krastel H, Holz FG: [Multifocal electroretinogram. Comparison between scanning laser ophthalmoscope and monitor stimulation.] Multifokales ERG mittels konfokalem Scanning Laser Ophthalmoskop. Vergleich mit Monitorsimulation. *Ophthalmologie* 2002;99:457-463.
57. Poloschek CM, Rupp V, Krastel H, Holz FG: Multifocal ERG recording with simultaneous fundus monitoring using a confocal scanning laser ophthalmoscope. *Eye* 2003;17:159-166.
58. Rivero ME, Bartsch DU, Otto T, Freeman WR: Automated scanning laser ophthalmoscope image montages of retinal diseases. *Ophthalmology* 1999;106:2296-2300.
59. Roider J: Retina-sparing laser treatment of occult CNV by vitrectomy and localised detachment of the macula. *Graefes Arch Clin Exp Ophthalmol* 2001;239:496-500.
60. Saatci OA, Kocak N, Durak I, Ergin MH: Unilateral retinal vasculitis, branch retinal artery occlusion and subsequent retinal neovascularization in Crohn's disease. *Int Ophthalmol* 2001;24:89-92.
61. Saatci AO, Yaman A, Oner FH, Ergin MH, Cingil G: Indocyanine green angiography in Bietti's crystalline retinopathy. *Can J Ophthalmol* 2002;37:346-351.
62. Schaller UC, Mueller AJ, Bartsch DU, Freeman WR, Kampik A: Choroidal melanoma microcirculation with confocal indocyanine green angiography before and 1 year after radiation brachytherapy. *Retina* 2000;20:627-632.

63. Schaller UC, Mueller AJ, Bartsch DU, Schaumberger M, Freeman WR, Kampik A: [Correlation of networks in the ICG angiography with regression rate of uveal melanomas after brachytherapy.] Zusammenhang von ICG-angiographisch nachgewiesenen "Networks" uvealer Melanome und Tumorrückbildungsgeschwindigkeit nach Brachytherapie. *Ophthalmologie* 2002;99:545-548.
64. Schmidt-Erfurth U, Noack J, Teschner S, Birngruber R: [Confocal indocyanine green angiography with 3-dimensional topography. Results in choroid neovascularization] *Ophthalmologie* 1999;96:797-804.
65. Schmidt-Erfurth U, Teschner S, Noack J, Birngruber R: Three-dimensional topographic angiography in chorioretinal vascular disease. *Invest Ophthalmol Vis Sci* 2001;42:2386-2394.
66. Schmidt-Erfurth U, Michels S, Barbazetto I, Laqua H: Photodynamic effects on choroidal neovascularization and physiological choroid. *Invest Ophthalmol Vis Sci* 2002;43:830-841.
67. Schmidt-Erfurth U: [Makulaforamen. Ein therapierbares Krankheitsbild mit ungelöster Problematik.] Macular holes. A treatable clinical entity with unsolved problems.] *Ophthalmologie* 2002;99:609-612.
68. Schmidt-Erfurth UM, Michels S, Kusserow C, Jurklies B, Augustin AJ: Photodynamic therapy for symptomatic choroidal hemangioma. Visual and anatomic results. *Ophthalmology* 2002;109:2284-2294.
69. Schmidt-Erfurth UM, Michels S: Changes in confocal indocyanine green angiography through two years after photodynamic therapy with verteporfin. *Ophthalmology* 2003;110: 1306-1314.
70. Schmidt-Erfurth U, Schlötzer-Schrehard U, Cursiefen C, Michels S, Beckendorf A, Naumann GOH: Influence of photodynamic therapy on expression of vascular endothelial growth factor (VEGF), VEGF receptor 3, and pigment epithelium-derived factor. *Invest Ophthalmol Vis Sci* 2003;44:4473-4480.
71. Schmitz-Valckenberg S, Jorzik J, Unnebrink K, Holz FG, FAM Study Group: Analysis of digital scanning laser ophthalmoscopy fundus autofluorescence images of geographic atrophy in advanced age-related macular degeneration. *Graefes Arch Clin Exp Ophthalmol* 2002;240:73-78.
72. Schutt F, Fischer J, Kopitz J, Holz FG: Indocyanine green angiography in the presence of subretinal or intraretinal haemorrhages: clinical and experimental investigations. *Clin Experiment Ophthalmol* 2002;30:110-114.
73. Seeliger MW, Narfström K: Functional Assessment of the Regional Distribution of Disease in a Cat Model of Hereditary Retinal Degeneration. *Invest Ophthalmol Vis Sci* 2000;41:1998-2005.
74. Seeliger MW, Narfstrom K, Reinhard J, Zrenner E, Sutter E: Continuous monitoring of the stimulated area in multifocal ERG. *Doc Ophthalmol* 2000;100:167-184.
75. Spital G, Rademacher M, Müller C, Brumm G, Lommatzsch A, Pauleikhoff D: [Characteristics of RPE autofluorescence in different lesions of the late age-related macular degeneration.] Autofluoreszenz-Charakteristika von Lipofuszinbestandteilen der unterschiedlichen Formen der späten altersabhängigen Makuladegeneration. *Klin Monatsbl Augenheilkd* 1998;213:23-31.
76. Staudt S, Miller DW, Unnebrink K, Holz FG: [Incidence and extent of macular edema following vitreoretinal surgery with and without combined cataract operation.] Inzidenz und Ausprägung von postoperativem Makulaödem nach Makulaforamenoperation mit und ohne kombinierte Kataraktoperation. *Ophthalmologie* 2003;100:702-707.
77. Staurengi G, Orzalesi N, La Capria A, Aschero M: Laser treatment of feeder vessels in subfoveal choroidal neovascular membranes. *Ophthalmology* 1998;105:2297-2305.
78. Staurengi G, Flower RW: Clinical observations supporting a theoretical model of choriocapillaris blood flow in treatment of choroidal neovascularization associated with age-related macular degeneration. *Am J Ophthalmol* 2002;133:801-808.
79. Terasaki H, Ishikawa K, Suzuki T, Nakamura M, Miyake K, Miyake Y: Morphologic and angiographic assessment of the macula after macular translocation surgery with 360° retinotomy. *Ophthalmology* 2003;110:2403-2408.
80. Teschner S, Noack J, Birngruber R, Schmidt-Erfurth U: Characterization of leakage activity in exudative chorioretinal disease with three-dimensional confocal angiography. *Ophthalmology* 2003;110:687-697.
81. Trieschmann M, Spital G, Lommatzsch A, van Kuijk E, Fitzke F, Bird AC, Pauleikhoff D: Macular pigment: quantitative analysis on autofluorescence images. *Graefe's Arch Clin Exp Ophthalmol* 2003;241:1006-1012.
82. Ucha RA, Marengo EJ, Cartier MM: Scanning laser ophthalmoscopy for early diagnosis of vitreoretinal interfase syndrome. *Int Ophthalmol* 2001;23:425-428.

83. Viestenz A, Mardin CY, Langenbucher A, Naumann GOH: [In-vivo measurement of autofluorescence in the parapapillary atrophic zone of optic discs with and without glaucomatous atrophy.] In-vivo-Messung der Autofluoreszenz in der parapapillären Atrophiezone bei Papillen mit und ohne glaukomatöse Optikusatrophie. *Klin Monatsbl Augenheilkd* 2003;220:545-550.
84. Weinberger AWA, Kirchhof B, Mazinani BE, Schrage NF: Persistent indocyanine green (ICG) fluorescence 6 weeks after intraocular ICG administration for macular hole surgery. *Graefes Arch Clin Exp Ophthalmol* 2001;239:388-390.
85. Weinberger D, Lichter H, Goldenberg-Cohen N, Priel E, Bahar I, Yassur Y, Axer-Siegel R: Retinal microangiopathies overlying pigment epithelial detachment in age-related macular degeneration. *Retina* 2002;22:406-411.
86. Weinreb RN, Bartsch DU, Freeman WR: Angiography of the glaucomatous optic nerve head. *J Glaucoma* 1994;3(Suppl 1):S55-S60.
87. Wüstemeyer H, Jahn C, Nestler A, Barth T, Wolf S: A new instrument for the quantification of macular pigment density: first results in patients with AMD and healthy subjects. *Graefe's Arch Clin Exp Ophthalmol* 2002;240:666-671.
88. Wüstemeyer H, Moessner A, Jahn C, Wolf S: Macular pigment density in healthy subjects quantified with a modified confocal scanning laser ophthalmoscope. *Graefe's Arch Clin Exp Ophthalmol* 2003;241:647-651.
89. Yi C, Yan H, Yu Q, Hu Z: [Analyses of central serous chorioretinopathy from indocyanine green angiography.] *Yan Ke Xue Bao* 1999;15:81-84.

ARVO Abstracts

1. Ahlers C, Beckendorf A, Michels S, Schmidt-Erfurth U: Correlation of topographic angiography (TAG), retinal thickness analysis (RTA) and optical coherence tomography (OCT). *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1768.
2. Asawaphureekorn S, Ratanapakorn T, Sutabutr T: Assessment of retinal nerve fiber layer defects in glaucoma with the Heidelberg Retina Angiograph. *Invest Ophthalmol Vis Sci* 1999;40:S658.
3. Barak A, Krupsky S, Kurtz S, Melamed S, Abraham FA, Treister G: Digital indocyanine green angiography in anterior ischemic optic neuropathy. *Invest Ophthalmol Vis Sci* 1996;37:S1085.
4. Bartsch DU, Weinreb RN, Zinser G, Freeman WR: Confocal scanning infrared laser angiography using indocyanine green. *Invest Ophthalmol Vis Sci* 1994;35:S1634.
5. Bartsch DU, Mueller AJ, Freeman WR: Simultaneous indocyanine green and sodium fluorescein angiography using a confocal scanning laser ophthalmoscope. *Invest Ophthalmol Vis Sci* 1996;37:S1127.
6. Bartsch DU, Mueller AJ, O'Connor N, Holmes T, Freeman WR: Improved visualization of ocular microvascularization in patients with melanoma and other diseases using computer image processing. *Invest Ophthalmol Vis Sci* 1997;38:S807.
7. Bartsch DU, Otto T, Clark T, Freeman WR: Automatic wide-field retinal image montage using scanning laser ophthalmoscopy in retinal diseases. *Invest Ophthalmol Vis Sci* 1998;39:S596.
8. Bartsch DG, El-Bradey MH, Severson G, Bergeron-Lynn G, Elmusharaf A, Cheng L, Freeman WR: Evaluation of choroidal neovascularization using confocal indocyanine green angiography in a rat model. *Invest Ophthalmol Vis Sci* 2001;42:S702.
9. Bartz-Schmidt KU, Walter P, Krott R, Heimann K: Effects of conventional fluorescein angiography and indocyanine green angiography using the Heidelberg Retina Angiograph on the course of dark adaptation and on the Ganzfeld electroretinogram. *Invest Ophthalmol Vis Sci* 1995;36:S242.
10. Baudo TA, Glaser BM, Lakhanpal RR, Lin SB, Gould DM, Murphy RP: Pilot study to examine the outcomes following laser treatment of modulating choroidal vessels associated with pigment epithelial detachments. *Invest Ophthalmol Vis Sci* 2000;41:S179.
11. Bellmann C, Holz FG, Rohrschneider K, Burk ROW, Volcker HE: Confocal scanning laser fluorescein angiography and simultaneous indocyanine green angiography. *Invest Ophthalmol Vis Sci* 1996;37:S606.
12. Bellmann C, Schütt F, Unnebrink K, Fischer C, Pauleikhoff D, Holz FG: Symmetric manifestation of geographic atrophy of the retinal pigment epithelium in patients with age-related macular degeneration. *Invest Ophthalmol Vis Sci* 1999;40:S315.
13. Bellmann C, Rubin GS, Kabanarou SA, Bird AC, Fitzke FW: Fundus autofluorescence imaging compared with different confocal scanning laser ophthalmoscopes. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2576.
14. Bermig JH, Tylla H, Jochmann C, Nestler A, Wolf S: Angiographic findings in patients with exudative age related macular degeneration. *Invest Ophthalmol Vis Sci* 2001;42:S438.
15. Bernardes RC, Lobo C, Cunha-Vaz J: Retinal leakage analyzer. New developments in instrumentation and data processing. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 3463.
16. Bigioni R, Morgia P, Carlomusto L, Angelini I, Leopardi S, Vingolo EM: Evaluation of microalbuminuria as a risk indicator in diabetic retinopathy. *Invest Ophthalmol Vis Sci* 2001;42:S805.
17. Binder S, Krebs I, Stolba U, Jahn C, Kellner L, Feichtinger H, Abri A, Assadoullina A, Stanzel B: Incidence of recurrent membrane growth after surgical excision of foveal choroidal neovascularization combined with transplantation of autologous retinal pigment epithelium. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 486.
18. Birngruber R, Noack J, Schmidt-Erfurth U: Confocal laser scanning fluorescence topography of chorioretinal vascular structures. *Invest Ophthalmol Vis Sci* 1999;40:S571.
19. Bottoni F, Staurenghi G: Dynamic indocyanine green angiography ICGA for the detection of deep retinal vascular anomalous complexes RVAC. *Invest Ophthalmol Vis Sci* 2001;42:S702.
20. Brancato R, Introini U, Setaccioli M, Forti M: Retinal angiomatous proliferation (RAP) and retinal-choroidal anastomosis (RCA). *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 1224.

21. Buglione M, Lo Schiavo Elia R, Quaranta M, Coscas G, Soubrane G: Role of ICG angiography in basal laminar drusen associated with pseudovitelliform material and chroidal neovascularization. *Invest Ophthalmol Vis Sci* 1998;39:S588.
22. Bunse A, Bock M, Lorenz B, Gabel VP: Photodynamic Therapy in Age-related Macular Degeneration: Functional Results. *Invest Ophthalmol Vis Sci* 2001;42:S441.
23. Camparini M, Cassinari P, Macaluso C: Autofluorescence of cystoid macular edema. A HRA scanning laser ophthalmoscope study. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 4952.
24. Chung MM, Boldt HC, Folberg R: Confocal indocyanine green (ICG) angiography of atypical choroidal nevi: evaluation of microcirculation patterns. *Invest Ophthalmol Vis Sci* 1999;40:S756.
25. Cruess AF, Sharma S, Stockl F, Howitt C, Bakal J: ICG angiography as an adjunct to fluorescein angiography for visudyne therapy of AMD. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 611.
26. Cruess AF, Howitt C, Bakal J, Sharma S: ICG angiography as a guide to Visudyne therapy for subfoveal choroidal neovascularization (CNV) in AMD. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1809.
27. Dandekar SS, Leung I, Peto T, Jenkins S, Scholl HPN, Webster AR, Bird AC: Autofluorescence findings in patients with unilateral visual loss due to AMD. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1777.
28. Daniele E, Angelini M, Teodori C, Vingolo E: Distribution analysis of autofluorescence in retinitis pigmentosa with cystoid macular oedema. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 534.
29. de Souza Lima M, Bartsch DU, Freeman WR, Weinreb RN: Indocyanine green angiography of optic disc and peripapillary retina in glaucoma. *Invest Ophthalmol Vis Sci* 1996;37:S221.
30. Dithmar S, Holz FG, Bellmann C, Völcker HE: Detection of 'feeder vessels' in presence of choroidal neovascularizations with confocal scanning ICG-angiography. *Invest Ophthalmol Vis Sci* 1998;39:S586.
31. Duarte LG, Lobo CL, Bernardes RC, Soares MA, Figueira JP, Abreu JF, Cunha-Vaz JG: Macular maps of fluorescein leakage during a 3-year follow-up in patients with type 2 diabetes mellitus and mild non-proliferative retinopathy. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 4012.
32. Einbock W, Schnurrbusch UEK, Wiedemann P, Holz FG, Wolf S, FAM-Study Group: Fundus autofluorescence in patients with age-related maculopathy: a prospective study. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2519.
33. Einbock W, Moessner A, Schnurrbusch UEK, Wiedemann P, Holz FG, Wolf S: Changes in fundus autofluorescence in patients with age-related maculopathy correlation to visual function. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 5010.
34. Elsner H, Brandt S, Schmidt-Erfurth U: Angiographic and functional characterization of occult choroidal neovascularization. *Invest Ophthalmol Vis Sci* 1997;38:S239.
35. Elsner HG, Niemeyer M, Birngruber R, Laqua H, Schmidt-Erfurth U: Imaging of choroidal neovascularization a comparison of optical coherence tomography and topographic angiography. *Invest Ophthalmol Vis Sci* 2001;42:S795.
36. Framme C, Roider J: Fundus-autofluorescence after conventional mild laser photocoagulation in diabetic retinopathy. *Invest Ophthalmol Vis Sci* 2000;41:S655.
37. Framme C, Schuele G, Birngruber R, Brinkmann R, Roider J: Autofluorescence imaging after selective RPE laser treatment in macular diseases a pilot study. *Invest Ophthalmol Vis Sci* 2001;42:S703.
38. Frates EM, Migliavacca L, Di Napoli M, Orzalesi N: The efficacy of photodynamic therapy in the treatment of juxtafoveal or extrafoveal choroidal neovascularization. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 4894.
39. Freeman WR, Bessho K, Rodanant N, Bartsch DUG, Cheng L: The effect of subthreshold infrared laser treatment for drusen regression on macular autofluorescence in patients with age related macular degeneration. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 5020.
40. Garcia CR, Rivero ME, Ishiko S, Takamiya A, Fukui K, Clark T, Bartsch DU, Yoshida A, Freeman WR: Oral fluorescein angiography with the confocal scanning laser ophthalmoscope. *Invest Ophthalmol Vis Sci* 1998;39:S922.
41. Gawrilow P, Coscas F, Romdane R, Coscas G, Soubrane G: ICG and OCT guided laser treatment of idiopathic polypoidal choroidal vasculopathy (IPCV). *Invest Ophthalmol Vis Sci* 2000;41:S320.

42. Gerosa F, Zanchi S, Ottochian M, Maestroni L, Massacesi AL, Orzalesi N: Microperimetry and reading performance after Photodynamic therapy (PDT) for subfoveal choroidal neovascularization: short term results. *Invest Ophthalmol Vis Sci* 2001;42:S441.
43. Guo H, Salchow DJ, Zrenner E, Seeliger MW: Imaging assisted multifocal electroretinograms in mice. *Invest Ophthalmol Vis Sci* 2001;42:S180.
44. Hamon F, Goeminne P, Cardoen L: Minimal surgery in patients with macular hole. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 3023.
45. Holmes TJ, Ramirez RJ, Bartsch DU, O'Connor NJ, Freeman WR: Deconvolution and automatic alignment of indocyanine green fundus tomograms: Initial study of feasibility. *Invest Ophthalmol Vis Sci* 1996;37:S608.
46. Holz FG, Burk ROW, Dithmar S, Rohrschneider R, Völcker HE: Confocal laser scanning indocyanine green angiography in patients with occult neovascularization associated with age related macular degeneration. *Invest Ophthalmol Vis Sci* 1995;36:S187.
47. Holz FG, Bellmann C, Margaritidis M, Schütt F, Otto TP, Völcker HE: Patterns of increased in vivo fundus autofluorescence in the junctional zone of geographic atrophy associated with age-related macular degeneration. *Invest Ophthalmol Vis Sci* 1998;39:S729.
48. Holz FG, Staudt S, Bultmann S, Rohrschneider K, Bellmann C, Volcker HE: Increased RPE-lipofuscin mediated autofluorescence in the junctional zone of geographic atrophy associated with ARMD precedes occurrence of new atrophic patches and is associated with impaired retinal sensitivity. *Invest Ophthalmol Vis Sci* 2000;41:S162.
49. Incanato N, Orzalesi N, Gerosa F, Zanchi S, Rossetti LM: Choroidal filling of parapapillary area in glaucoma: an evaluation with ICGA. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 326.
50. Jackson BA, Zhang K, Lin T, Burke J, Wheeler L: Verteporfin PDT in the paramacular region of normal monkeys. A comparison of bolus and infusion administration. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 3949.
51. Johnson TM, Luu JK, Glaser BM: Micropulse laser modulation of retinal-choroidal anastomoses in exudative macular degeneration. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2506.
52. Jorzik JJ, Schmitz-Valckenberg S, Chen J, Unnebrink K, Holz FG, FAM-Study Group: Reticular pseudodrusen and peripapillary atrophy associated with geographic atrophy in advanced ARMD. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2517.
53. Keilhauer CN, Schrader WF, Weber BHF: Autofluorescence imaging of the ocular fundus: Towards a subclassification of age-related maculopathy (ARM). *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1757.
54. Kellner U, Richter M, Tillack H, Kraus H, Foerster MH: Full-field ERG abnormalities in patients with early age-related maculopathy. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1780.
55. Knabben H, Wolf S, Quaranta M, Kirchhof B, Coscas G, Soubrane G: Indocyanine green angiographic features of well defined choroidal neovascularization in age related macular degeneration. *Invest Ophthalmol Vis Sci* 1997;38:S340.
56. Knabben H, Wolf S, Weinberger AWA, Solbach U, Kirchhof B: Indocyanine green guided laserphotocoagulation in patients with occult choroidal neovascularization. *Invest Ophthalmol Vis Sci* 1998;39:S587.
57. Kroher G, Serguhn S, Lohmann CP: In vivo lipofuscin induced patterns of fundus autofluorescence in eyes with acute multifocal placoid pigment epitheliopathy amppe . *Invest Ophthalmol Vis Sci* 2001;42:S707.
58. Krupsky S, Verbin H, Treister G, Melamed S: Correlation between vascularization of the optic nerve head and visual fields. *Invest Ophthalmol Vis Sci* 1996;37:S462.
59. Krupsky S, Moisseiev J, Treister G: ICG angiographic follow up of PED of the young. *Invest Ophthalmol Vis Sci* 1997;38:S340.
60. Krupsky S, Treister G, Melamed S: Quantitative angiographic evaluation to the disc capillaries with correlation to visual field defect in glaucoma. *Invest Ophthalmol Vis Sci* 1998;39:S476.
61. Krupsky S, Treister G, Krupsky G, Neumann R: Clinical decision making in the follow up of serpigineous choroiditis based on indocyanine green angiography. *Invest Ophthalmol Vis Sci* 1999;40:S148.
62. Kube T, Ditges M, Weinberger AWA, Mazinani BAE, Wolf S: Findings in multifocal electroretinograms between different forms of age-related macular disease (AMD). *Invest Ophthalmol Vis Sci* 2000;41:S163.

63. Kuhn D, Quaranta M, Soubrane G, Coscas G: Isolated occult choroidal neovascularization on ICG angiography: Comparison between early and late phases. *Invest Ophthalmol Vis Sci* 1996;37:S1127.
64. Kusserow C, Michels S, Kollner T, Schmidt-Erfurth U: Impact of chorioretinal anastomosis on prognosis in photodynamic therapy. *Invest Ophthalmol Vis Sci* 2001;42:S512.
65. Lakhanpal RR, Glaser BM, Murphy RP, Lin SB, Baudo TA: Observations and characteristics of polypoidal choroidal vasculopathy using high-speed indocyanine green angiography: a pilot study. *Invest Ophthalmol Vis Sci* 2000;41:S163.
66. Lambrou GN, Percicot CL, Temporelli F, Pages C: Effects of a single topical administration of Epinephrine 1% on the choroidal blood flow of normal cynomolgus monkey eyes. *Invest Ophthalmol Vis Sci* 1998;39:S271.
67. Lee GC, Ciardella AP, Langton K, Sparrow J, Chang S: Autofluorescence as a novel approach to diagnosing macular holes. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 3621.
68. Loewenstein A, Malach R, Goldstein M, Alster Y, Avni I, Yassur Y: A New Method for Macular Perimetry in Age-related Macular Degeneration. *Invest Ophthalmol Vis Sci* 2001;42:S703.
69. Lommatzsch A, Rademacher M, Spital G, Pauleikhoff D: Photodynamic therapy of pigment epithelium detachments in AMD. *Invest Ophthalmol Vis Sci* 2001;42:S439.
70. Losch A, Staudt S, Bellmann C, Holz FG: Recording of spatial distribution and intensity of intrinsic fundus fluorescence in human donor eyes using a modified confocal scanning laser ophthalmoscope. *Invest Ophthalmol Vis Sci* 2000;41:S145.
71. Losch AJ, Jorzik J, Holz FG: Mapping of macular pigment distribution and RPE lipofuscin in human donor eyes with a confocal scanning laser ophthalmoscope CSLO. *Invest Ophthalmol Vis Sci* 2001;42:S221.
72. Luu JK, Baudo TA, Glaser BM: Feeder vessel treatment of recurrent choroidal neovascularization (CNV). *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2510.
73. Maestroni L, Ottochian M, Staurengi G, Orzalesi N: Photodynamic therapy with verteporfin of predominantly classic subfoveal choroidal neovascularization secondary to age-related macular degeneration: evaluation of the efficacy and safety in the VIT study. *Invest Ophthalmol Vis Sci* 2001;42:S439.
74. Maestroni L, Ottochian M, Migliavacca L, Faletra R, Orzalesi N: Reclassification of occult choroidal neovascularization due to ARMD by high dynamic speed indocyanine green angiography. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2495.
75. Massacesi AL, Lomboni EM, Bucci L, Maestroni LR, Staurengi G, Orzalesi N: Distribution of retinal changes in diabetic retinopathy. *Invest Ophthalmol Vis Sci* 1999;40:S308.
76. Massacesi AL, Migliavacca L, Orzalesi N, Staurengi G: A comparison of imaging techniques for diagnosis of adult-onset foveomacular vitelliform dystrophy. *Invest Ophthalmol Vis Sci* 2000;41:S171.
77. Mayser HM, Salchow DJ, Zrenner E, Seeliger MW: Comparison of two techniques and determination of parameters for multifocal erg recording in mice. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 1793.
78. Melamed S, Krupsky S, Verbin H, Treister G: Confocal tomographic angiography with ICG of the optic nerve head. *Invest Ophthalmol Vis Sci* 1996;37:S222.
79. Melamed S: Early detection of optic nerve head vascular damage. *Invest Ophthalmol Vis Sci* 1998;39:S219.
80. Menegon M, Staurengi G, Schettini R, Orzalesi N: Registration and tracking of retinal angiographies: a feasibility study. *Invest Ophthalmol Vis Sci* 1998;39:S591.
81. Meunier IA, Favard C, Caputo G, de Laagede Meux P: Angiographic pattern and visual outcome of choroidal polypoidal vasculopathy. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 1227.
82. Michels S, Barbazetto I, Schmidt-Erfurth U: ICG-angiographic evaluation of photodynamic therapy in the TAP investigation. *Invest Ophthalmol Vis Sci* 2000;41:S532.
83. Michels SM, Schmidt-Erfurth U: Early vascular changes induced by photodynamic therapy using verteporfin. *Invest Ophthalmol Vis Sci* 2001;42:S304.
84. Migliavacca L, Massacesi A, Petrone S, Staurengi G, Orzalesi N: Angiographic, retinal thickness mapping and visual acuity in occult subfoveal age-related choroidal neovascularization. *Invest Ophthalmol Vis Sci* 2000;41:S170.
85. Migliavacca L, Faletra R, Petrone S, Orzalesi N: Classification by dynamic indocyanine green angiography and natural history of occult choroidal neovascularization due to ARMD. *Invest Ophthalmol Vis Sci* 2001;42:S798.

86. Migliavacca L, Orzalesi N, Di Napoli M, Vitale L: Characteristics of "plaques" in occult and classic CNV of AMD. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2504.
87. Migliavacca L, Vitale L, Orzalesi N: Fovea-sparing PDT treatment for choroidal neovascularization. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1830.
88. Müller AJ, Bartsch DU, Folberg R, Jian G, Ochabski R, Burgess SK, Rahhal FM, Goldbaum M, Freeman WR: Choroidal melanoma and confocal ICG: Early follow-up after local radiation therapy. *Invest Ophthalmol Vis Sci* 1996;37:S623.
89. Müller AJ, Bartsch DU, Folberg RN, Mehaffey M, Jian G, Avila C, Taskintuna I, Kan-Mitchell J, Freeman WR: Prognostically significant microvascularization patterns in a human choroidal melanoma rabbit eye model: confocal ICG and histology. *Invest Ophthalmol Vis Sci* 1997;38:S808.
90. Muller-Velten R, Hillmann K, Birngruber R, Noack J, Schmidt-Erfurth U: Topographic imaging and quantification of retinal vascular leakage in venous branch occlusion. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2859.
91. Munguia HD, Bartsch DU, Mueller AJ, Freeman WR: Choroidal melanoma and confocal ICG: Motion artifacts and axial and lateral measurements in the digitized image. *Invest Ophthalmol Vis Sci* 1996;37:S608.
92. Munguia HD, Bartsch DU, Mueller AJ, Schaller U, Freeman WR: Visualization of retinal and choroidal microcirculation in three animal models of ocular melanoma using simultaneous Indocyanine Green and Fluorescein angiography. *Invest Ophthalmol Vis Sci* 1997;38:S343.
93. Nagai Y, Houhou F, Uyama M, Coscas G, Soubrane G: Post laser photocoagulation features for choroidal neovascularization (CNV) in age-related macular degeneration (AMD): ICG angiography and optical coherence tomography study. *Invest Ophthalmol Vis Sci* 1999;40:S318.
94. Nestler A, Frank A, Woodworth TG, Carter WO, Reichel MB, Wolf S: Quantitative assessment of occult choroidal neovascularization in patients with age related macular degeneration. *Invest Ophthalmol Vis Sci* 2001;42:S703.
95. Nestler A, Gäbler P, Trost DC, Reichel MB, Wolf S: Two year follow-up of natural history of occult choroidal neovascularization in patients with age-related macular degeneration: changes in visual acuity. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1779.
96. Niemeyer M, Michels S, Birngruber R, Schmidt-Erfurth U: Three-dimensional imaging of photodynamic effects in choroidal neovascularization and collateral choroid. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1098.
97. O'Connor NJ, Bartsch DU, Freeman WR, Holmes TJ: Automatic random eye movement correction for visualization of 3D indocyanine green laser scanned ophthalmoscope data. *Invest Ophthalmol Vis Sci* 1995;36:S242.
98. O'Connor N, Aphinyanaphongs Y, Zinser G, Bartsch DU, Freeman W, Flanagan J, Hutchins N, Hudson C, Holmes T: Computational resolving power improvement for the scanning laser ophthalmoscope. *Invest Ophthalmol Vis Sci* 1999;40:S123.
99. Orzalesi N, Staurengi G, Migliavacca L, La Capria A, Nizzola F: Dynamic indocyanine green angiography imaging of 'plaques'. *Invest Ophthalmol Vis Sci* 1998;39:S587.
100. Orzalesi N, Petrone S, Gerosa F, Staurengi G, Gandolfo E: Microperimetry of subfoveal CNV treated with different lasers. *Invest Ophthalmol Vis Sci* 2000;41:S178.
101. Paques M, Boval B, Richard S, Massin P, Gaudric A, Vicaud E: Flow cytometric analysis of fluorescein-labeled leukocytes. *Invest Ophthalmol Vis Sci* 1999;40:S487.
102. Pauleikhoff D, Lommatzsch A, Dohrmann J: ICG - angiographical characteristics of acute central serous chorioretinopathy. *Invest Ophthalmol Vis Sci* 2000;41:S764.
103. Pauleikhoff D, Spital G, Trieschmann M, Lommatzsch A, van Kuijk FJ, Bird AC: Macular pigment: specific risk for different types of AMD? *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1756.
104. Petrone S, Nizzola F, Staurengi G, Migliavacca L, Massacesi A, Orzalesi N: Visual function and microperimetry in retinal pigment epithelium tears of age-related macular degeneration. *Invest Ophthalmol Vis Sci* 1999;40:S315.
105. Prünke C, Sommer M, Orgül S, Flammer J: Mixed a-b-adrenergic antagonist treatment of central serous chorioretinopathy. *Invest Ophthalmol Vis Sci* 1998;39:S830.

106. Prunte C, Schroeder B, Frei J: Multifocal Electroretinography after Photodynamic Therapy in age-related Macular Degeneration. *Invest Ophthalmol Vis Sci* 2001;42:S441.
107. Quaranta M, Arnold J, Kuhn D, Soubrane G, Coscas G: Indocyanine green angiographic features of drusen. *Invest Ophthalmol Vis Sci* 1996;37:S113.
108. Roh ML, Glaser BM: Feeder vessel treatment of occult with no classic choroidal neovascularization in age-related macular degeneration. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1776.
109. Sayag D, Coscas F, Coscas G, Pawlak D, Papp M, Souied E, Soubrane G: Feeder vessel treatment with millipulse diode laser on occult subfoveal choroidal new vessels in age-related macular degeneration (AMD) using high speed ICG-angiography. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1762.
110. Schapp O, Holz FG, Otto T, Krastel H, Völcker HE: Recording of multifocal electroretinograms with simultaneous fundus monitoring using a confocal scanning laser ophthalmoscope. *Invest Ophthalmol Vis Sci* 1998;39:S973.
111. Schmidt-Erfurth U, Michels S, Hager A, Barbazetto I, Laqua H: ICG-angiographic analysis of the photodynamic mechanism in treatment of choroidal neovascularization. *Invest Ophthalmol Vis Sci* 1998;39:S242.
112. Schmidt-Erfurth UM, Niemeyer M, Michels S, Birngruber R, Laqua H: Three dimensional imaging of dynamic and structural vascular changes induced by photodynamic therapy. *Invest Ophthalmol Vis Sci* 2001;42:S512.
113. Schmidt-Erfurth UM, Ahlswede W, Michels S, Birngruber R, Laqua H: Three-dimensional analysis of photodynamic therapy (PDT)-induced vascular effects in choroidal neovascularization (CNV) and choroid: a two year follow-up. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 3978.
114. Schmitz-Valckenberg S, Unnebrink K, Jorzik J, Staudt S, Holz FG: Automated computerized SLO fundus autofluorescence image analysis for delineation and quantitation of atrophy. *Invest Ophthalmol Vis Sci* 2001;42:S703.
115. Schmitz-Valckenberg S, Jorzik JJ, Einbock W, Witte S, Schutt F, Dithmar S, Wolf S, Holz FG, FAM-Study Group: Patterns of abnormal autofluorescence in advanced atrophic ARMD: classification and implications for progression. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2518.
116. Snook B, Harris A, Kagemann L, Chung HS, Garzosi HJ, Ciulla T: Quantitative comparison of the Heidelberg Retina Angiograph and the Rodenstock scanning laser ophthalmoscope by area dilution analysis of ICG angiograms. *Invest Ophthalmol Vis Sci* 1999;40:S509.
117. Somaiya MD, Glaser BM: High-speed phi-motion ICG characteristics and feeder vessel treatment of polypoidal choroidal vasculopathy in age-related macular degeneration. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2509.
118. Stanescu DM, Coscas G, Coscas F, Uzzan J, Mimoun G, Roquet W, Soubrane G: Feeder vessel treatment in age-related macular degeneration (AMD) with classic, occult choroidal neovascularization and vascularized retinal pigment epithelium detachment. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 1226.
119. Staudt S, Bellmann C, Schutt F, Losch A, Holz FG: Various intra- and extracellular fluorophores other than RPE lipofuscin contribute to variations in spatial distribution and intensity in topographic fundus autofluorescence images. *Invest Ophthalmol Vis Sci* 2000;41:S168.
120. Staurenghi G, Migliavacca L, Nizzola F, Massacesi A, Orzalesi N: Classification of choroidal neovascularization by dynamic indocyanine green angiography. *Invest Ophthalmol Vis Sci* 1998;39:S587.
121. Staurenghi G, Massacesi A, Migliavacca L, Nizzola F, Petrone S, Orzalesi N: Low energy laser treatment of choroidal neovascular membrane feeder vessels. *Invest Ophthalmol Vis Sci* 1999;40:S319.
122. Staurenghi G, Orzalesi N, Massacesi A, Migliavacca L, Maestroni L, Gandolfo E: Indocyanine green enhanced laser treatment of feeder vessels of choroidal neovascularization. *Invest Ophthalmol Vis Sci* 2000;41:S178.
123. Staurenghi G, Musicco I, Salvetti P, Viola F: Anatomic and flow characteristics of feeder vessels in choroidal neovascular membranes. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2512.
124. Staurenghi G, Keilhauer C, Viola F, Salvetti P, Goger D, Delori F: Variability in macular pigment distribution evaluated by autofluorescence imaging. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 5118.
125. Sun Y, Wu XW, Zhang X, Xu X, Sun HL: The relationship between electroretinogram and indocyanine green angiography in diabetic retinopathy. *Invest Ophthalmol Vis Sci* 2001;42:S807.
126. Sun Y, Wu X, Zhang X, Xu X, Wu Y: The comparison of changes in diabetic retinopathy between indocyanine green and fluorescein angiography. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 4011.

127. Tedesco SA, Reggiani L, Lamedica A, Camparin M, Carta A, Macaluso C: Improved detection and three-dimensional imaging of optic nerve head drusen using autofluorescence hra scanning laser ophthalmoscopy. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 4349.
128. Teschner S, Noack J, Birngruber R, Schmidt-Erfurth U: Documentation of perfusion and leakage characteristics in age-related macular degeneration by dynamic topographic angiography. *Invest Ophthalmol Vis Sci* 2000;41:S170.
129. Tollot L, Cappello E, Staurenghi G, Viola F, Musicco I, Morescalchi F, Zemella M: Persistence of retinal staining after ICG-assisted vitrectomy for full thickness macular hole (FTMH) and epiretinal membrane. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 4067.
130. van Kuijk EF, Moreland JD, Robson AG, Pauleikhoff D, Morrissey T, Holder GE, Fitzke FW, Bird AC: In vivo evidence for reduced autofluorescence efficiency at the fovea: implications for assessment of macular pigment. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 4997.
131. Viola F, Massacesi AL, Salvetti P, Musicco I, Staurenghi G: Scanning laser angiographic stereo imaging of retinal diseases. *Invest Ophthalmol Vis Sci* 2001;42:S703.
132. Viola F, Staurenghi G, Graham R, Harrington P, Mainster M: Wide field angiography. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2511.
133. Viola F, Staurenghi G, Musicco I, Veronese C, Danzi P, Mainster M: Wide field dynamic angiography in retinal detachment. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 2999.
134. Wabbels BK, Wegscheider E, Preising M, Hamel C, Gal A, Lorenz B: Absent or minimal fundus autofluorescence in patients with early onset retinal degeneration associated with the RPE65 genotype. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 520.
135. Wang JC, Mueller AJ, Bartsch DU, Folberg RN, Mehaffey M, Jian G, Kan-Mitchell J, Freeman WR: Prognostically significant microvascularization patterns in a human choroidal melanoma SCID mouse model: confocal ICG and histology. *Invest Ophthalmol Vis Sci* 1997;38:S808.
136. Wegscheider E, Lorenz B, Bader I, Meitinger T, Meindl A: Fundus autofluorescence in carriers for rp3 with known genotype. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 1183.
137. Weinberger AWA, Wolf S, Knabben H, Kirchhof B: Fundus autofluorescence: a longitudinal study in patients with age-related macular degeneration. *Invest Ophthalmol Vis Sci* 1998;39:S923.
138. Weinberger A, Mazinani BE, Kube T, Kirchhof B, Wolf S: Fundus autofluorescence dynamics in patients with central serous choroidopathy. *Invest Ophthalmol Vis Sci* 1999;40:S123.
139. Weinberger AWA, Wolf S, Lappas A, Kube T, Dobberstein H, Kirchhof B: ICG-angiography before and after surgical treatment for subfoveal choroidal neovascularisation secondary to age-related macular degeneration. *Invest Ophthalmol Vis Sci* 2000;41:S170.
140. Weinberger AWA, Mazinani BAE, Musazadeh M, Schrage NF: Infrared imaging of classic choroidal neovascularization treated with Verteporfin photodynamic therapy (PDT). *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 5035.
141. Wilson M, Nguyen P, Raman B, Nemeth S, Soliz P, Wolf S: Automatic registration of multi-modal retinal images, and FA and ICG videos for examinations over a six month period. *Invest Ophthalmol Vis Sci* 2003;44:ARVO E-Abstract 1769.
142. Wolf S, Knabben H, Reim M: Indocyanine green angiography in patients with age related maculopathy. *Invest Ophthalmol Vis Sci* 1995;36:S187.
143. Wolf S, Knabben H, Solbach U, Kirchhof B: Assessment of retinal autofluorescence with a confocal scanning laser ophthalmoscope. *Invest Ophthalmol Vis Sci* 1997;38:S342.
144. Wolf S, Dahlke C, Ditges M, Knabben H, Weinberger AWA, Kirchhof B: Fundus controlled multifocal electroretinogram in patients with age-related macular degeneration. *Invest Ophthalmol Vis Sci* 1998;39:S923.
145. Wolf S, Weinsberger AW, Scholtz S, Kube T: Choroidal hemodynamics visualized as functional image in eyes with age-related macular degeneration. *Invest Ophthalmol Vis Sci* 1999;40:S561.
146. Wolf S, Barth T, Wiedemann P: Integration of various imaging methods in a multimodal imaging system for ophthalmology. *Invest Ophthalmol Vis Sci* 2000;41:S171.
147. Wolf S, Nestler A, Trost DC, Reichel MB: Natural history of occult choroidal neovascularization in age-related macular degeneration: conversion from occult to classic lesions. *Invest Ophthalmol Vis Sci* 2002;43:ARVO E-Abstract 2523.

148. Wolf S, Brinkmann CK, Moessner A, Wuestemeyer H: Test-retest reproducibility of macular pigment density in healthy subjects quantified with a modified confocal scanning laser ophthalmoscope. Invest Ophthalmol Vis Sci 2003;44:ARVO E-Abstract 3278.
149. Wuestemeyer H, Schnurrbusch U, Jahn C, Wiedemann P, Wolf S: Macular pigment density in healthy subjects quantified with a modified confocal laser scanning ophthalmoscope. Invest Ophthalmol Vis Sci 2002;43:ARVO E-Abstract 2545.
150. Wuestemeyer H, Moessner A, Jahn C, Wolf S: Macular pigment density in patients with ARM quantified with a modified confocal scanning laser ophthalmoscope. Invest Ophthalmol Vis Sci 2003;44:ARVO E-Abstract 5024.
151. Zanchi S, Gerosa F, Massacesi AL, Staurenghi G, Orzalesi N: Early anatomical outcome in different types of subfoveal choroidal neovascularization treated with photodynamic therapy. Invest Ophthalmol Vis Sci 2001;42:S439.